# Western Health Specialist Clinics Access & Referral Guidelines

### **Surgical Breast Specialist Clinics at Western Health:**

Western Health provides the following Specialist Clinics for patients who require assessment and management of breast conditions. Patients will be clinically triaged into management pathways according to specific clinical requirements.

## Conditions not seen by Breast Surgery Specialists at Western Health:

Condition	Recommendation	
Known, metastatic breast cancer	Refer to Breast Oncology Clinic at WH	
Patients without breast cancer but with a high risk of breast cancer/strong family history	Refer to Royal Melbourne Hospital or Peter MacCallum Cancer Centre High Risk/Familial Cancer Clinic (Western Health does not have a high-risk clinic). See Familial cancer centres - Cancer Council Victoria	
Chest wall pain	GP to treat	
Thickening or nodularity consistent with hormonal change	Review in 2 or 3 months.  If changes persist on review for imaging and referral	
Nipple discharge and change  - Bilateral on expression only - No discrete lesion - No blood	Reassure, encourage not to express. Review in 2-3 months	
Normal or No discrete lesion (Category 1) on imaging consistent with clinical exam	Reassure patient. Advise breast self-awareness  Advise age >50 two yearly mammogram – Breast  Screen 13 20 50 http://www.breastscreen.org.au/	
Benign (Category 2) simple cysts on imaging, not palpable	Reassure patient.	
Benign (Category 2) complex cysts on imaging, not palpable	Age <40 years old - reassure and re-examine six months Age >40 years old - re-examine and re-image six months	
Solid lesions (no clinical abnormality) on imaging, age < 25 years	Reassure patient.	
Solid lesions (no clinical abnormality) on imaging, age 25 – 35 years	Repeat ultrasound at 6 months + stop if no change	

### **Breast Alarm Symptoms:**

Any patient presenting with the following should present directly to an emergency department:

- · Metastatic breast disease with intractable pain
- · Fungating mass or wound with haemorrhage
- · Post-surgical wound with dehiscence or sepsis
- · Breast abscess failing drainage
- Lactational mastitis with systemic symptoms not improving with initial GP treatment and concern for abscess development

Page | 1

Date: November 2024

Review Pate November 3037

Review Date: November 2027

## Western Health Specialist Clinics Access & Referral Guidelines

#### **Access & Referral Priority Surgical Breast Clinic:**

The clinical information provided in your referral will determine the triage category. The triage category will affect the timeframe in which the patient is offered an appointment.

URGENT	ROUTINE
Appointment timeframe 30 days.	Appointment timeframe greater than 30 days, depending on clinical need.
Suspected new or early breast cancer with accompanying imaging suggestive of a possible cancer. Symptoms may include:  • Breast lump or mass • Changes in breast shape or size • Nipple discharge that occurs without squeezing • Other nipple changes • Skin changes on breast • Axillary mass or palpable axillary lymph nodes	Patients with a breast lump or other breast symptoms where imaging does not suggest cancer.

#### **Condition Specific Referral Guidelines:**

Key information enables Western Health to triage patients to the correct category and provide treatment with fewer visits to specialist clinics, creating more capacity for care. If key information is missing, you may be asked to return the referral with the required information.

Refer to Health Pathways Melbourne for assessment and management of breast conditions prior to referral.

#### Family history guidelines\*

- Specify all family members including whether they are a 1st or 2nd degree relative, their relationship to the
  patient, age of diagnosis if known who have had breast cancer +/or ovarian cancer, bilateral cancer or male
  breast cancer.
- Please include whether the patient is of Ashkenazi heritage.

#### Imaging guidelines\*\*

- >35 years Mammogram & Ultrasound
- <35 years Ultrasound only</li>
- Specialist review prior to image guided or clinician biopsy of lesions is preferred
- Where imaging is undertaken, please advise patients to take previous films for the radiologist to review AND bring films/disks to their hospital appointment.

Page | 2 Date: November 2024

Review Date: November 2027

### Western Health Specialist Clinics Access & Referral Guidelines

Condition:	Key Information Points:	Clinical Investigations:
Suspected new or early breast cancer Symptoms may include:  Breast lump or mass  Changes in breast shape or size  Nipple discharge that occurs without squeezing  Other nipple changes  Skin changes on breast  Axillary mass or palpable axillary lymph nodes	<ul> <li>Details of presenting symptoms and clinical findings</li> <li>Medication list incl details of past /current hormone therapy or hormonal contraception</li> <li>Smoking and alcohol use</li> <li>Family history*</li> </ul>	Essential:  Ultrasound Bilateral mammogram Include reports in referral If available, patients to bring breast imaging films/disc to their clinic appointment Specialist will arrange core biopsy after review in specialist clinic
Breast pain with:  Discrete lesion Nodularity persisting >2 months	<ul> <li>Clinical history and examination findings</li> <li>Family history*</li> </ul>	<ul> <li>Imaging as per age recommendations above**</li> <li>Please include copies of reports and details of imaging provider</li> </ul>
Nipple discharge or nipple eczema (new):  Unilateral, spontaneous Bloody discharge Single duct discharge Nipple inversion/change (<3 months)	<ul> <li>Clinical history and examination findings</li> <li>Family history*</li> </ul>	Imaging as per age recommendations above**      Please include copies of reports and details of imaging provider
Breast lesion:	<ul> <li>Clinical history and examination findings</li> <li>Family history*</li> </ul>	Imaging as per age recommendations above**      Please include copies of reports and details of imaging provider

Page | 3

Date: November 2024
Review Date: November 2027