Growth and Nutrition Clinic at Western Health:

Western Health provides a Specialist Paediatric Growth and Nutrition clinic for patients up to 17 years of age who require assessment and management of feeding and eating difficulties including feeding tube dependence resulting in growth delay or nutritional deficiency. The clinic is facilitated by a multidisciplinary paediatric team comprised of a Paediatrician, Dietitian and Speech Pathologist.

The following conditions are managed within this clinic:

- Oral aversion
- Feeding tube dependence and weaning
- Poor growth including Failure to Thrive
- Fussy eating or restricted oral intake
- Difficulty or failure on the introduction to solids and/or texture progression
- Avoidant Restrictive Food Intake Disorder (ARFID)
- Pica
- Constipation where decreased oral intake and vomiting feature
- Feeding issues associated with food allergies and intolerances.

Referral will be triaged by a Paediatrician according to specific clinical requirements.

Referrals may be triaged to alternative Paediatric Specialist Clinics at Western Health.

Specialist Clinics are provided in the Joan Kirner Women's & Children's Sunshine Hospital.

Conditions not seen by the specialist team in the Growth and Nutrition Clinic at Western Health:

- Eating disorders of adolescence
- Obesity without feeding issues
- Children with diagnosed autism with associated feeding issues with the possible exception of children with tube dependency.

Conditions requiring referral to Emergency Department:

Acute conditions requiring immediate assessment such as complete food or fluid refusal – please refer the patient to the Sunshine Hospital Emergency Department.

Western Health Specialist Clinics Access & Referral Guidelines

Access & Referral Priority Paediatric Growth and Nutrition:

The clinical information provided in your referral will determine the triage category. The triage category will affect the timeframe in which the patient is offered an appointment.

| URGENT | ROUTINE | |
|-------------------------------|--|--|
| Appointment timeframe 30 days | Appointment timeframe greater than 30 days, depending on clinical need. | |
| Failure to thrive | Failure to thrive | |
| Infants < 6 months of age | Infants > 6 months of age | |
| Risk of Aspiration | Complex Cases | |
| Infants < 12 months of age | Aspiration risk not identified | |
| | Developmental delay | |
| | Failure to thrive | |
| | Feeding tube weaning | |
| | Feeding Issues | |
| | • Faltering growth in the absence of failure to thrive | |
| | Selective eating | |
| | Healthy infant with isolated feeding difficulty | |
| | Texture progression | |
| | Oral feeding optimisation | |
| | • Established feeding but may require and benefit from | |
| | support | |
| | Existing Food Allergies | |
| | Obesity | |
| | Children < 2 years of age | |
| | | |
| | | |



Condition Specific Referral Guidelines:

Key information enables Western Health clinicians to triage patient referrals to the correct category and provide treatment with fewer visits to Specialist Clinics, creating more capacity for care. If key information is missing, you will be asked to return the referral with the required information. If this information is not received, the referral may be rejected.

| Condition: | Key Information Points: | Clinical Investigations |
|--------------------------------------|--|--|
| All Growth and Nutrition concerns | Essential Summary of presenting issue and reason for urgency. Age of onset. Detailed history including growth charts. Past medical history including allergies and medications. Details of past management and response Desirable Dietary history Details of pre-existing services involved. | Details of previous assessment or intervention. Details of previous swallowing assessment report if undertaken. |